



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/670,819	09/24/2003	Gerald Fredrickson	12013/49401	7313
26646	7590	07/22/2005		
KENYON & KENYON ONE BROADWAY NEW YORK, NY 10004			EXAMINER PARKER, FREDERICK JOHN	
			ART UNIT	PAPER NUMBER
			1762	
DATE MAILED: 07/22/2005				

Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES PATENT AND TRADEMARK OFFICE

Commissioner for Patents
United States Patent and Trademark Office
P.O. Box 1450
Alexandria, VA 22313-1450
www.uspto.gov

7/21/05

In re Application of :
Gerald Frederickson :
Serial Number : 10/670,819 : WITHDRAWAL
Filed : September 24, 2003 : FROM
For : ULTRASONIC NOZZLE FOR COATING: ISSUE
A MEDICAL APPLIANCE AND METHOD..:

The purpose of this communication is to inform you that the above-identified application is being withdrawn from issue pursuant to 37 CFR 1.313.

The application is being withdrawn to permit reopening of prosecution. The reasons therefore will be communicated to you by the examiner.

PTO records reveal that the issue fee has not been paid. If the issue fee has been submitted, the applicant may request a refund or may request that the fee be credited to a deposit account. However, applicant may wait until the application is either again found allowable or held abandoned. If the application is allowed, upon receipt of a new Notice of Allowance and Issue Fee Due, applicant may request that the previously submitted issue fee be applied toward payment of the issue fee in the amount identified on the new Notice of Allowance and Issue Fee Due. If the application is abandoned, applicant may request either a refund or a credit to a deposit account.

The application is being forwarded to the examiner for action. Telephone inquiries may be directed to Timothy Meeks at 571-272-1423.



Jacqueline M. Stone, Director
Technology Center 1700
Chemical and Materials Engineering

KENYON & KENYON
One Broadway
New York, NY 10004